

Queensland Fruit Fly (Qfly) Como and South Perth Eradication Program 2026 Frequently Asked Questions

Updated 18 September 2026

Contents

Queensland Fruit Fly (Qfly)	2
What is Qfly?	2
What are Qfly hosts?	2
How do Qfly affect host fruit?	3
How long do Qfly live?	3
How did Qfly get into WA?	3
Quarantine Area Notice	3
Are requirements under the Quarantine Area Notice legal?	3
What is the Quarantine Area?	3
How long will the Quarantine Area Notice (QAN) remain in place?	4
How will Qfly be eradicated?	4
What can I expect during an inspection?	4
What do I need to do with host fruit on my property?	5
What is solarising?	5
What is processing?	5
My age and/or medical condition prevents me from being able to meet these requirements. What are my options?	5
My trees are too high to pick fruit from. What should I do?	6
Can host fruit be left inside on a bench to ripen after being removed from a host plant?	6
Movement	6
Can I take host fruit outside the Red Zone?	6
Can I take host fruit and vegetables to work or school to eat?	6
Can I take fresh fruit salad out of the Red Zone?	6
Can I give fruit and vegetables to my neighbour or anyone else in my suburb?	6
If I refrigerate my fruit and vegetables for 24 hours, can I move it out of the Red Zone?	6
What should I do if I accidentally moved my host fruit and vegetables out of the Red Zone?	7
I need to move host fruit and/or host plants bearing fruit which have been grown in the Quarantine Area to a place outside of the Quarantine Area, what should I do?	7
Disposal	7

How should I dispose of fruit and vegetables?	7
In the Red Zone, can I compost Qfly host fruit and scraps or put them in my worm farm?	7
Can I take juiced host fruit out of the Red Zone?	7
In the Red Zone, can I feed host fruit and vegetables to my chickens?	7
Can I be fined by my local government for putting treated bagged fruit and vegetables into general waste bins?	8
Can I bury fruit and vegetables during the Qfly outbreak?	8
My neighbour's host fruit has fallen on my property. Who is responsible for its disposal?	8
For rental properties, is it the landlord or renters' responsibility to ensure that host fruit is removed and disposed of correctly?	8
Who is responsible for ensuring host fruit is removed and correctly disposed of in common areas in a strata scheme?	8
Eradication program activities	8
When will DPIRD visit my property?	8
What products are used in the eradication program?	9
Why does DPIRD apply bait to plants that are not Qfly hosts?	9
How do I determine whether DPIRD has visited my neighbour, who has fruit trees?	10
Why doesn't DPIRD strip host fruit?	10
How long does an inspection take?	10
Can I cut down/trim my plants that DPIRD has marked with a tag?	10
If I notice fruit fly sting marks or larvae (maggots) in my fruit, do I need to report it to DPIRD?	10
Other questions	10
Where can I find more information?	10

Queensland Fruit Fly (Qfly)

What is Qfly?

Qfly is an Australian fruit fly native to Queensland. Qfly is one of the most serious pests of fruit and vegetables in Australia, infesting more than 300 species of fruit, fruiting vegetables and ornamental plants and impacting a range of horticulture industries and their access to valuable markets. Qfly destroys host fruit, making it inedible. See the [Queensland fruit fly](#) webpage for more information.

What are Qfly hosts?

Qfly hosts are fruit or fruiting vegetables which Qfly can breed in. Females lay eggs just under the surface of the fruit. Maggots or larvae then hatch from the egg and feed on the fruit. Once fully grown, larva jump from the fruit, drop to the ground and tunnel into the soil, where they form a pupa, before emerging from the ground as an adult. The list of host

plants is extensive and includes citrus, banana, stone fruit, olive, avocado, mango, passionfruit, tomato, capsicum, and chilli. Qfly also attacks the fruit of ornamental plants such as clivia, lilly pilly and Indian hawthorn. See the list of [Qfly host plants](#) on our website.

How do Qfly affect host fruit?

Qfly maggots (larvae) destroy affected fruit, making it inedible. When the adult female Qfly stings host fruit to lay eggs, it introduces bacteria that causes rot. Affected fruit may show skin discolouration around the sting marks and rapid decomposition, which induces decay and early fruit drop. Damage is also caused as maggots develop and feed in fruit.

How long do Qfly live?

The Qfly lifecycle varies in summer and winter because cooler temperatures and shorter daylight hours lengthen the time required for Qfly to complete a full lifecycle:

- in winter, the lifecycle is between 52 and 100 days.
- in summer, it is between 36 and 60 days.

How did Qfly get into WA?

Tracing the source of Qfly can be difficult to determine and DPIRD has not determined the source of the Qfly found in Como and South Perth. The priority is eradicating Qfly.

Quarantine Area Notice

Are requirements under the Quarantine Area Notice legal?

Yes. The Department of Primary Industries and Regional Development (DPIRD) has a legislated responsibility to eradicate Qfly and protect WA's commercial fruit and vegetable industries.

Eradication depends on the compliance of all residents and businesses with [Quarantine Area Notice](#) requirements and the directions of authorised DPIRD personnel.

Quarantine Area Notices are issued under regulation 60 of the [Biosecurity and Agriculture Management Regulations 2013](#). Failure to comply with the Quarantine Area Notice could result in remedial action, a fine or both.

The [Biosecurity and Agriculture Management Act 2007](#) provides DPIRD staff with the power to enter, inspect and undertake eradication activities on your property. DPIRD staff will work with residents to access gardens at a convenient time to apply treatments and checks. While we can legally enter without consent, we prefer cooperation – it is faster and more effective.

Refusing to provide staff access or preventing staff from completing their work may result in a fine or prosecution.

What is the Quarantine Area?

The Quarantine Area consists of both the Red Zone and Orange Zone, covering a 15 km radius around Qfly detection points.

The Red Zone is the 1.5 km radius area from Qfly detections. It includes parts of the local governments of South Perth and Victoria Park.

The Orange Zone covers the area in a 15 km radius from the detection point and is the area of the QA that is not part of the Red Zone. The Orange Zone acts as a buffer zone to further prevent further spread of the pest.

See the [Quarantine Area Notice](#) and interactive map on our [Qfly webpage](#) to check which zone your property is located in.

How long will the Quarantine Area Notice (QAN) remain in place?

Under Australia's National Fruit Fly Management Protocol, reinstatement of pest area freedom depends on the absence of wild fruit fly adults and larvae in the Quarantine Area.

The current [Quarantine Area Notice](#) is in effect until 31 March 2027. If DPIRD can demonstrate that Qfly has been eradicated from the area prior to this date, the QAN may be lifted earlier, or it may be extended if detections continue.

You must continue to comply with all requirements of the [Quarantine Area Notice](#), including host fruit removal, treatment and movement, until pest area freedom has been achieved and the Quarantine Area Notice has been lifted.

How will Qfly be eradicated?

Qfly eradication relies on a joint effort between DPIRD, residents and industry.

In the Red Zone, DPIRD will visit properties to:

- check for the presence of Qfly host plants (and mark them with a tag)
- apply bait to host or other suitable plants
- collect host fruit samples to check in the laboratory for the absence of Qfly larvae
- inspect for compliance with the Quarantine Area Notice, including:
 - ensure ripe or ripening host fruit and vegetables are regularly removed from plants. There should be no fallen fruit on the ground, and
 - host fruit and vegetables are correctly treated and disposed of.

DPIRD will also bait street and park trees that could shelter Qfly.

Residents in the Red Zone must comply with requirements of the Quarantine Area Notice, including treatment and movement restrictions for host fruit.

What can I expect during an inspection?

At the initial visit by DPIRD, you will be asked for your contact details and your preferred day/s of the week for future visits. Properties in high priority areas closest to Qfly detections will be visited twice per week, while the rest of the Red Zone will be visited once per week.

DPIRD personnel who visit your property will ask to enter your property as part of the Qfly eradication campaign to:

- check for Qfly host plants, and tag with a ribbon. Because the list of potential hosts is so vast, DPIRD may check for host plants even if you advise that you don't have any
- bait suitable hosts or other plants
- collect host fruit samples to check in the laboratory for Qfly larvae
- check you are complying with the Quarantine Area Notice. This includes that:

- ripe and ripening fruit and fruiting vegetables are removed from host plants in your garden. There should be no host fruit on the ground.
- host fruit is correctly treated and disposed of.

What do I need to do with host fruit on my property?

All residents in the Red Zone must comply with requirements of the Quarantine Area Notice for the management and movement of host fruit and vegetables:

- Assist in breaking the Qfly lifecycle by stripping ripe and ripening fruit and fruiting vegetables from host plants in your garden. There should be no host fruit on the ground.
- Treat fruit and fruit waste (before disposal) using one of the following methods:
 - cook (e.g. boil or microwave)
 - freeze for at least 24 hours
 - solarise (secure host fruit in a sealed black bag and place it on a hard surface in direct sunlight for at least seven days)
 - process (e.g. slice, dice, blend/puree, juice, press or pickle).
- Strip pruned branches of all host fruit before leaving out for green waste verge collection or putting into green waste bins/bags. Correctly treat and dispose of all fruit removed.
- Correctly dispose of host fruit once treated by securely bagging host fruit and waste and putting it in the general waste bin (**not in the green waste or FOGO bin**).
- Do not remove host fruit from the Quarantine Area (unless treated).

What is solarising?

Solarising is the process of using sunlight to heat something. Qfly host fruits are solarised by securing them in a black plastic bag and placing the bag on a hard surface in direct sunlight for at least 7 days.

Weather variations can influence the effect of solarising so if the weather is cloudy, leave the materials to solarise for longer.

Solarising is a good option for treating large amounts of fruit, such as mulberry, olive, and fig and the fruits and berries of some ornamental host plants.

What is processing?

Processing involves slicing and dicing, blending or pureeing, juicing, brining, or pickling. Qfly can breed in whole or large pieces of host fruit and vegetables. Processing breaks the fruit into a size that is too small for Qfly to breed in and destroy any potential eggs and larvae in the host fruit.

My age and/or medical condition prevents me from being able to meet these requirements. What are my options?

We understand some residents may face challenges due to age or medical conditions. In the first instance, please see if a friend, relative, carer or neighbour can assist with fruit removal and disposal.

If you still cannot receive assistance, please let us know as soon as possible so we can arrange a visit to assess your situation on a case-by-case basis. Contact the Pest and Disease Information Service (PaDIS) on (08) 9368 3080 or email qfly@dpird.wa.gov.au.

My trees are too high to pick fruit from. What should I do?

We don't want anyone to put their safety at risk. If you have assessed the situation and believe the fruit is too high for you to safely reach you may need to consider engaging a professional arborist. Please contact the Pest and Disease Information Service (PaDIS) on (08) 9368 3080 or email qfly@dpird.wa.gov.au should you have any concerns.

Can host fruit be left inside on a bench to ripen after being removed from a host plant?

No, fruit cannot be left inside to ripen as there is still a risk the fruit can be stung by Qfly or allow larvae to grow within already infested fruit. As per the requirements, picked fruit must be eaten immediately or be treated through cooking, freezing, processing or solarising.

Movement

Can I take host fruit outside the Red Zone?

No. You must not take host fruit and vegetables outside the Red Zone unless treated. It is recommended that both home-grown and store-bought host fruit is immediately refrigerated until eaten or treated and disposed of correctly.

Can I take host fruit and vegetables to work or school to eat?

Yes, provided it has been processed. To minimise the risk of spreading Qfly, all host fruit should be treated (cooked or frozen) or processed by juicing, cooking, or slicing and dicing. The quickest and most common way of spreading Qfly is the movement of untreated host fruit and vegetables because they may contain Qfly eggs and larvae, even if they do not look infested.

Can I take fresh fruit salad out of the Red Zone?

Yes, provided fresh host fruit is sliced into small, bite-sized pieces. Fruit waste (e.g. rind, peel, core) must be treated, bagged and disposed of in the general waste bin.

Can I give fruit and vegetables to my neighbour or anyone else in my suburb?

No. Do not move Qfly host fruit within or outside of the Red Zone unless it has been treated or processed. Consider making a salad, jam, juice or cook host fruit to share.

If I refrigerate my fruit and vegetables for 24 hours, can I move it out of the Red Zone?

No. Qfly host fruit and vegetables can only be moved out of the Red Zone after they have been treated (frozen for 24 hours, cooked, solarised or processed). Immediately after picking host fruit from your garden or bringing store-bought host fruits onto your property, refrigerate until you are ready to eat them.

What about supermarkets? Can they still sell fruit/veg?

Yes. Supermarkets can continue to sell fruit and vegetables. Supermarkets and distributors are required to keep produce under secure conditions (fully enclosed or screened buildings, cold-rooms, vehicles or other facilities free from gaps or other entry

points greater than 1.6 mm). DPIRD is working closely with retailers and industry to ensure these conditions are met and host fruit and fruiting vegetables are not displayed outdoors. After purchasing fruit and vegetables, ensure they remain covered until you get home to prevent Qfly from being able to sting fruit.

Can farmers markets in the Red Zone still operate?

Yes. Farmers markets can still operate in the Red Zone, however they must meet the requirements of the Quarantine Area Notice. This includes ensuring host fruit and fruiting vegetables are securely covered with plastic wrap, tarpaulins, hessian, mesh or other coverings when entering and remaining in the Red Zone.

What should I do if I accidentally moved my host fruit and vegetables out of the Red Zone?

Let DPIRD know as soon as possible so we can assess the risk and take appropriate action. Contact the Pest and Disease Information Service (PaDIS) on (08) 9368 3080 or email qfly@dpiird.wa.gov.au.

I need to move host fruit and/or host plants bearing fruit which have been grown in the Quarantine Area to a place outside of the Quarantine Area, what should I do?

DPIRD must be notified at least 24 hours prior to the intended movement of host fruit or host plants grown in the Orange Zone to a place outside of the Quarantine Area. This can be done via:

- The online Movement Notification Form on dpiird.wa.gov.au/qfly, or
- Emailing qfly@dpiird.wa.gov.au

Approved treatment measures and secure condition measures must be in place before the host fruit or host plants can be moved outside of the Quarantine Area. For more information, visit dpiird.wa.gov.au/qfly.

Disposal

How should I dispose of fruit and vegetables?

Host fruit and fruiting vegetables must be treated before disposal. Once treated, securely bag and bin in the general waste bin – not in the green waste or FOGO bin.

In the Red Zone, can I compost Qfly host fruit and scraps or put them in my worm farm?

No.

Can I take juiced host fruit out of the Red Zone?

Yes, juicing is a form of processing and destroys any Qfly eggs or larvae. Remember you must treat the fruit scraps, such as peels or cores, before disposal.

In the Red Zone, can I feed host fruit and vegetables to my chickens?

Qfly can breed in whole or large pieces of host fruit and vegetables so host fruit cannot be left uncovered on the ground due to the potential for Qfly to breed in it. You must not feed

Qfly host fruit to chickens unless it has been treated or processed (e.g. sliced, diced, cooked, pureed).

Can I be fined by my local government for putting treated bagged fruit and vegetables into general waste bins?

This is a matter for your local government, however DPIRD is working closely with relevant local governments regarding the Qfly response. If you are concerned about being fined or have been fined, contact your local government waste education team.

Can I bury fruit and vegetables during the Qfly outbreak?

No, Qfly larvae can survive being buried deep (up to 1 m) in the ground.

My neighbour's host fruit has fallen on my property. Who is responsible for its disposal?

You are responsible for correctly managing (treating and disposing of) any host fruit on your property. Remove ripe and ripening fruit hanging into your property every 3 days. Treat, securely bag and dispose of it in the general waste bin. There should be no fruit on the ground.

If you cut overhanging branches from your neighbour's property back to the boundary line, you must strip all host fruit from the branches that have been pruned and treat and dispose of it in the general waste bin. Once the branches have been stripped of all fruit, you can leave them out for green waste collection or put them into your green waste bin/bag or skip bins provided by your local government.

More information about responsibilities for overhanging branches can be found on the [Legal Aid WA website](#).

For rental properties, is it the landlord or renters' responsibility to ensure that host fruit is removed and disposed of correctly?

It is the responsibility of the individual/s residing at a property to ensure that host fruit is removed and disposed of correctly.

Who is responsible for ensuring host fruit is removed and correctly disposed of in common areas in a strata scheme?

It is the shared responsibility of residents within the strata scheme to ensure that host fruit is removed and disposed of correctly.

Eradication program activities

When will DPIRD visit my property?

The priority for DPIRD personnel is visiting properties in the Red Zone at least once a week, or twice weekly for properties close to the centre of the outbreak. Some properties may not need to be inspected as there are no host species present.

If you have received a contact card in your mailbox asking you to contact DPIRD, do so as soon as possible as a property inspection is necessary.

DPIRD personnel also inspect some properties in the wider Orange Zone.

To determine whether your property is in the Red Zone or Orange Zone, see the [interactive map](#) on our website.

What products are used in the eradication program?

A combination of:

- Organic bait applied to host plants. For more information, see the [Naturalure fruit fly bait FAQs](#).



- Small cardboard lures containing a small amount of the common insecticide fipronil, to attract and kill male Qfly. These are hung in trees out of reach of children and pets. For more information, see the [Qfly lure FAQs](#).



- Separate to the Qfly eradication program, DPIRD uses lure traps to monitor male Qfly numbers and determine the success of eradication activities.



Why does DPIRD apply bait to plants that are not Qfly hosts?

While Qfly lay their eggs in the fruit of host plants, adult flies spend the rest of their time feeding and resting on plants regardless of whether they are hosts. Therefore, Naturalure

bait can be applied to any suitable plant, at least 1.5 meters above the ground, to attract Qfly from the surrounding environment.

How do I determine whether DPIRD has visited my neighbour, who has fruit trees?

DPIRD is prioritising property visits based on the location of the properties relative to Qfly detections, the presence of host plants and property access requirements. This means that not all properties in a street will be visited at the same time. If possible, discuss any concerns with your neighbour.

Why doesn't DPIRD strip host fruit?

It is the owner/occupier's responsibility under the Quarantine Area Notice to remove ripe and ripening fruit from host plants. There should be no fruit on the ground.

Please let DPIRD personnel know if you are unable to meet the requirements of the Quarantine Area Notice due to age or a medical condition and don't have a friend, relative, neighbour or carer who can assist.

How long does an inspection take?

Inspection times vary depending on access, property size, hosts present and discussion. About 30 minutes is required for an initial inspection.

Can I cut down/trim my plants that DPIRD has marked with a tag?

Yes. There are no restrictions to cutting down or trimming a tree with a tag on your own property however, any host fruit must be removed and either eaten or treated before disposal.

Tape may be used to mark a host tree or a plant. If trimming a tree, please reattach the tape to the tree, if possible.

If I notice fruit fly sting marks or larvae (maggots) in my fruit, do I need to report it to DPIRD?

DPIRD would appreciate you making the fruit available to collect at our next visit for testing. Double bag the sample and keep in the fridge until DPIRD next visits.

You can also report suspect Qfly using the MyPestGuide Reporter App or website (mypestguide.dpird.wa.gov.au) or our Pest and Disease Information Service on 9368 3080 or qfly@dpird.wa.gov.au.

Other questions

Where can I find more information?

- Website: wa.gov.au/qfly
- Pest and Disease Information Service on 9368 3080 or qfly@dpird.wa.gov.au.

Important Disclaimer

The Chief Executive Officer of the Department of Primary Industries and Regional Development and the State of Western Australia accept no liability whatsoever by reason of negligence or otherwise arising from the use or release of this information or any part of it.

Copyright © State of Western Australia (Department of Primary Industries and Regional Development) 2026.